DIYM02-009

AMENDMENTS TO THE CLAIMS:

If entered, this listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

 (currently amended) A method of embedding camera information and image capture related information in a digital form of an image, comprising:

receiving information on a first static camera characteristic suitable to enhance image reproduction;

receiving information on a first static camera characteristic suitable to identify a single camera that is the source of the image by embedding unique single camera characteristics;

receiving camera setting information related to a first captured digitized image; generating an encryption key based at least in part on the first static camera characteristic;

embedding a watermark in said first captured digitized image, wherein the watermark contains at least a portion of the information on the at least one of said first static characteristics and at least a portion of the camera setting information related to said first captured digitized image; and

encrypting the watermark using the encryption key, wherein the first static

DIYM02-009 10/067,463

camera characteristic suitable to enhance image reproduction is a camera image sensor bad pixel characteristic.

\mathcal{L} , canceled

- 3. (currently amended) The method as defined in Claim 1, wherein the first static camera characteristic <u>suitable to enhance image reproduction</u> is related to a sensor current value.
- 4. (currently amended) The method as defined in Claim 1, wherein the first static camera characteristic <u>suitable to enhance image reproduction</u> is related to a camera image sensor sensitivity.
- 5. (original) The method as defined in Claim I, wherein the camera setting information includes information related to the flash intensity used to capture the first captured digitized image.
- 6. (original) The method as defined in Claim 1, further comprising including information in the watermark related to the ambient light present when the image was captured by the camera.
- 7. (original) The method as defined in Claim 1, further comprising including at least a first dynamically measured camera characteristic in the watermark.
- 8. (currently amended) A digital camera system, comprising:

DIYM02-009

an imager;

5

10

a first static camera characteristic associated with the imager in regard of enhancing image reproduction;

a first static camera characteristic associated with the imager in regard of identifying a single camera that is the source of an image by embedding unique single camera characteristics;

a first variable camera setting;

a watermark generator used to embed in the form of a watermark at least one of said first static camera characteristic and said first variable camera setting information in an image captured by the camera; and

a key generator configured to generate an encryption key used to encrypt the watermark, wherein said first static camera characteristic for enhancing image reproduction is gamma information.

- (original) The digital camera system as defined in Claim 8, wherein the watermark is visually perceptible.
- **10.** (original) The digital camera system as defined in Claim 8, wherein the watermark is visually imperceptible.
- 11. (original) The digital camera system as defined in Claim 8, wherein said first variable camera setting is a shutter speed.
- 12.(original) The digital camera system as defined in Claim 8, wherein said first variable camera setting is an aperture setting.

DIYM02-009 10/067,463

13. (original) The digital camera system as defined in Claim 8, wherein said first variable camera setting is a flash setting.

- **14.** (currently amended) The digital camera system as defined in Claim 8, wherein said first static camera characteristic <u>suitable to enhancing image reproduction</u> is related to an imager current.
- **15.** (currently amended) The digital camera system as defined in Claim 8, wherein said first static camera characteristic <u>suitable to enhancing image reproduction</u> is related to defective pixels associated with the imager.

16. canceled

5

Claims 17-25 canceled

26. (currently amended) A method of including camera information and image capture related information in association with a digital form of an image, comprising:

capturing an image:

digitizing the image;

receiving information on a first static camera characteristic suitable to enhance image reproduction, wherein said first static camera characteristic is gamma information;

a first static camera characteristic associated with the imager in regard of identifying a single camera that is the source of an image by embedding unique single

DIYM02-009 10/067,463

10 camera characteristics;

receiving camera setting information related to a first captured digitized image; inserting in a data set associated with the digitized image at least a portion of the information on the at least one first static characteristic; and transmitting the digitized image and the data set to an image processor.

- 27. (previously presented) The method as defined in Claim 1, wherein said unique single camera characteristics comprise an image capture device serial number.
- 28. (previously presented) The method as defined in Claim 1, wherein said image capture related information comprises information about the user who has taken an image.
- 29. (previously presented) The method as defined in Claim 28, wherein said user information comprises a user identification.
- 30. (previously presented) The camera system as defined in Claim 8, wherein said unique single camera characteristics comprise an image capture device serial number.
- 31. (previously presented) The camera system as defined in Claim 8, wherein said image capture related information comprises information about the user who has taken an image.

DIYM02-009 · 10/067,463

32. (previously presented) The camera system as defined in Claim 31, wherein said user information comprises a user identification.

- 33. (previously presented) The method as defined in Claim 26, wherein said unique single camera characteristics comprise an image capture device serial number.
- **34.** (previously presented) The method as defined in Claim 26, wherein said image capture related information comprises information about the user who has taken an image.
- **35.** (previously presented) The method as defined in Claim 34, wherein said user information comprises a user identification.